

**New Immigrant Survey
Child Proxy Codebook¹
Section CIS - Preload**

R00001.00 [PU_ID] Survey Year: 2003

SAMPLING UNIT IDENTIFICATION CODE - ORIGINAL SAMPLE

Sampling Unit Identification Code

810 000310 TO 938510: Respondent Case Number

810

Refusal(-1) 0
 Don't Know(-2) 0
 TOTAL =====> 810 VALID SKIP(-4) 0 NON-INTERVIEW(-5) 0

Min: 000310 Max: 938510 Mean: 494926.54

Lead In: None.
 Default Next Question: R00002.00

 nistempvisa
 NIS temporary visa categories

type: numeric (byte)

range: [1,12] units: 1
 unique values: 9 missing .: 687/810

tabulation: Freq. Value

23	1	Entered without inspection
1	3	Fiances(ees) of U.S. citizens and children
1	4	Intracompany transferees and families
9	5	Legal Immigration Family Equity (LIFE) Act
1	7	Students and families
56	9	Temporary visitors for pleasure
2	10	Temporary workers and trainees and families
29	11	Unknown
1	12	Other

Refusal(-1) 0
 Don't Know(-2) 0
 TOTAL =====> 123 VALID SKIP(-4) 687 NON-INTERVIEW(-5) 0

¹ Due to the requirements of the program used to create the codebook, some variables follow a different naming convention in the codebook and data files. Variables in the questionnaire and data files in the form varname_x, where x=1, 2, 3, etc., have the form varname.0x where x=1,2,3, etc. in the codebook. Similarly, variables in the form varname_xmo and varname_xnu in the data files have the form varnamemo.0x and varnamenu.0x, respectively, in the codebook.

Descriptive statistics were automatically generated for those variables with amounts. Several questions collect information about amounts in different units, periods of time, currencies, etc. Descriptive statistics for these variables won't provide a good description of the data and further calculations will be needed.

cisadmyer
Admission to lpr-year

type: numeric (int)
range: [2002,2003] units: 1
unique values: 2 missing .: 0/810

tabulation: Freq. Value
2 2002
808 2003

Refusal(-1) 0
Don't Know(-2) 0
TOTAL =====> 810 VALID SKIP(-4) 0 NON-INTERVIEW(-5) 0

cisadmmmon
Admission to lpr-month

type: numeric (byte)
range: [2,11] units: 1
unique values: 10 missing .: 0/810

tabulation: Freq. Value
3 2 February
3 3 March
42 4 April
142 5 May
125 6 June
99 7 July
138 8 August
96 9 September
102 10 October
60 11 November

Refusal(-1) 0
Don't Know(-2) 0
TOTAL =====> 810 VALID SKIP(-4) 0 NON-INTERVIEW(-5) 0

cismimyer
Date of nonimmigrant visa-year

type: numeric (int)
range: [0,2003] units: 1
unique values: 12 missing .: 662/810

tabulation: Freq. Value
83 0

1 1990
 4 1994
 4 1995
 3 1996
 3 1997
 11 1998
 9 1999
 9 2000
 3 2001
 15 2002
 3 2003

Refusal(-1) 0
 Don't Know(-2) 0
 Invalid Code(0) 83
 TOTAL =====> 148 VALID SKIP(-4) 662 NON-INTERVIEW(-5) 0

 cisnimmon
 Date of nonimmigrant visa-month

type: numeric (byte)
 range: [0,12] units: 1
 unique values: 13 missing .: 662/810

tabulation: Freq. Value
 83 0
 4 1 January
 5 2 February
 4 3 March
 3 4 April
 7 5 May
 5 6 June
 9 7 July
 4 8 August
 3 9 September
 7 10 October
 5 11 November
 9 12 December

Refusal(-1) 0
 Don't Know(-2) 0
 Invalid Code(0) 83
 TOTAL =====> 148 VALID SKIP(-4) 662 NON-INTERVIEW(-5) 0

 cisadjust
 1=adjust, 0=new arrival

type: numeric (byte)
 range: [0,1] units: 1
 unique values: 2 missing .: 0/810

tabulation: Freq. Value
662 0 New arrival
148 1 Adjusting status

Refusal(-1) 0
Don't Know(-2) 0
TOTAL =====> 810 VALID SKIP(-4) 0 NON-INTERVIEW(-5) 0

nisvisaspon
has, or possibly has, sponsor

type: numeric (byte)

range: [1,1] units: 1
unique values: 1 missing .: 0/810

tabulation: Freq. Value
810 1 Yes

Refusal(-1) 0
Don't Know(-2) 0
TOTAL =====> 810 VALID SKIP(-4) 0 NON-INTERVIEW(-5) 0

nissponemp
emp, may have sponsor

type: numeric (byte)

range: [0,0] units: 1
unique values: 1 missing .: 0/810

tabulation: Freq. Value
810 0 No

Refusal(-1) 0
Don't Know(-2) 0
TOTAL =====> 810 VALID SKIP(-4) 0 NON-INTERVIEW(-5) 0

nissuppspon
may have a joint sponsor

type: numeric (byte)

range: [1,1] units: 1
unique values: 1 missing .: 0/810

tabulation: Freq. Value
810 1 Yes

Refusal(-1) 0

Don't Know(-2) 0
TOTAL =====> 810 VALID SKIP(-4) 0 NON-INTERVIEW(-5) 0

nisadoporph
adopted orphan? 1=yes

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 0/810

tabulation: Freq. Value
394 0 No
416 1 Yes

Refusal(-1) 0
Don't Know(-2) 0
TOTAL =====> 810 VALID SKIP(-4) 0 NON-INTERVIEW(-5) 0

niscntryexp
Country eligible for child experiment

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 0/810

tabulation: Freq. Value
554 0 No
256 1 Yes

Refusal(-1) 0
Don't Know(-2) 0
TOTAL =====> 810 VALID SKIP(-4) 0 NON-INTERVIEW(-5) 0

nisspicacc
spouse of a principal

type: numeric (byte)
range: [0,0] units: 1
unique values: 1 missing .: 0/810

tabulation: Freq. Value
810 0 No

Refusal(-1) 0
Don't Know(-2) 0
TOTAL =====> 810 VALID SKIP(-4) 0 NON-INTERVIEW(-5) 0

nissamptype
adult or child

type: string (str5)
unique values: 1 missing "": 0/810
tabulation: Freq. Value
810 "Child"
Refusal(-1) 0
Don't Know(-2) 0
TOTAL =====> 810 VALID SKIP(-4) 0 NON-INTERVIEW(-5) 0

nischildstr
1=chilcitz, 2=adoporph

type: numeric (byte)
range: [1,2] units: 1
unique values: 2 missing .: 0/810
tabulation: Freq. Value
394 1 Child of U.S. citizen
416 2 Adopted child
Refusal(-1) 0
Don't Know(-2) 0
TOTAL =====> 810 VALID SKIP(-4) 0 NON-INTERVIEW(-5) 0

cisbirthyearmo
Year born

type: numeric (byte)
range: [1,7] units: 1
unique values: 7 missing .: 0/810
tabulation: Freq. Value
22 1 <1986
107 2 1986-1988
143 3 1989-1993
83 4 1994-1998
71 5 1999-2000
325 6 2001-2002
59 7 2002+
Refusal(-1) 0
Don't Know(-2) 0
TOTAL =====> 810 VALID SKIP(-4) 0 NON-INTERVIEW(-5) 0

cisstatemo
State where green card was sent

type: numeric (byte)
range: [1,15] units: 1
unique values: 15 missing "": 0/810

tabulation: Freq. Value
151 1 California
65 2 Florida
45 3 Illinois
32 4 New Jersey
111 5 New York
54 6 Texas
49 7 New England
52 8 Middle Atlantic
68 9 South Atlantic
10 10 East South Central
56 11 East North Central
42 12 West North Central
1 13 West South Central
42 14 Mountain
32 15 Pacific

Refusal(-1) 0
Don't Know(-2) 0
TOTAL =====> 810 VALID SKIP(-4) 0 NON-INTERVIEW(-5) 0

classadmmo
Class of admission

type: string (str1)
unique values: 2 missing "": 0/810

tabulation: Freq. Value
73 C
737 I

Refusal(-1) 0
Don't Know(-2) 0
TOTAL =====> 810 VALID SKIP(-4) 0 NON-INTERVIEW(-5) 0

visacatmo
NIS visa categories

type: numeric (byte)
range: [0,4] units: 1

unique values: 2 missing .: 0/810

tabulation: Freq. Value
416 0 Adopted Orphan
394 4 Child of U.S. Citizen

Refusal(-1) 0
Don't Know(-2) 0
TOTAL =====> 810 VALID SKIP(-4) 0 NON-INTERVIEW(-5) 0

ciscobinsmo
Country of birth, valid 2003 ins code

type: numeric (int)
label: country

range: [38,308] units: 1
unique values: 26 missing .: 0/810

tabulation: Freq. Numeric Label
5 38 CANADA
162 44 CHINA, PEOPLES REPUBLIC
35 47 COLOMBIA
2 55 CUBA
25 62 DOMINICAN REPUBLIC
8 65 EL SALVADOR
3 69 ETHIOPIA
54 88 GUATEMALA
12 92 HAITI
8 98 INDIA
12 105 JAMAICA
44 111 KOREA
99 135 MEXICO
10 152 NIGERIA
8 163 PERU
24 164 PHILIPPINES
2 166 POLAND
99 172 RUSSIA
17 215 UKRAINE
3 217 UNITED KINGDOM
1 219 UNKNOWN
11 224 VIETNAM
41 301 EUROPE & CENTRAL ASIA
41 302 EAST ASIA, SOUTH ASIA & THE PACIFIC
45 305 LATIN AMERICA & THE CARIBBEAN
20 306 AFRICAN SUB-SAHARAN
18 307 MIDDLE EAST & NORTH AFRICA
1 308 OCEANIA

Refusal(-1) 0
Don't Know(-2) 0
TOTAL =====> 810 VALID SKIP(-4) 0 NON-INTERVIEW(-5) 0

ciscofchargmo

Country of chargeability

type: numeric (int)
 label: country

range: [38,308] units: 1
 unique values: 25 missing .: 38/810

tabulation:	Freq.	Numeric	Label
	4	38	CANADA
	161	44	CHINA, PEOPLES REPUBLIC
	30	47	COLOMBIA
	2	55	CUBA
	22	62	DOMINICAN REPUBLIC
	6	65	EL SALVADOR
	3	69	ETHIOPIA
	54	88	GUATEMALA
	11	92	HAITI
	7	98	INDIA
	11	105	JAMAICA
	42	111	KOREA
	50	135	MEXICO
	9	152	NIGERIA
	7	163	PERU
	20	164	PHILIPPINES
	98	172	RUSSIA
	16	215	UKRAINE
	3	217	UNITED KINGDOM
	54	219	UNKNOWN
	9	224	VIETNAM
	41	301	EUROPE & CENTRAL ASIA
	34	302	EAST ASIA, SOUTH ASIA & THE PACIFIC
	40	305	LATIN AMERICA & THE CARIBBEAN
	18	306	AFRICAN SUB-SAHARAN
	19	307	MIDDLE EAST & NORTH AFRICA
	1	308	OCEANIA

Refusal(-1) 0
 Don't Know(-2) 0
 TOTAL =====> 772 VALID SKIP(-4) 38 NON-INTERVIEW(-5) 0

ciscoflastrmo
 Country of last residence

type: numeric (int)
 label: country

range: [38,308] units: 1
 unique values: 26 missing .: 0/810

tabulation:	Freq.	Numeric	Label
	5	38	CANADA
	162	44	CHINA, PEOPLES REPUBLIC
	34	47	COLOMBIA

2	55	CUBA
24	62	DOMINICAN REPUBLIC
8	65	EL SALVADOR
3	69	ETHIOPIA
54	88	GUATEMALA
12	92	HAITI
8	98	INDIA
12	105	JAMAICA
45	111	KOREA
99	135	MEXICO
9	152	NIGERIA
7	163	PERU
23	164	PHILIPPINES
22	166	POLAND
101	172	RUSSIA
2	215	UKRAINE
3	217	UNITED KINGDOM
3	219	UNKNOWN
11	224	VIETNAM
34	301	EUROPE & CENTRAL ASIA
40	302	EAST ASIA, SOUTH ASIA & THE PACIFIC
47	305	LATIN AMERICA & THE CARIBBEAN
21	306	AFRICAN SUB-SAHARAN
18	307	MIDDLE EAST & NORTH AFRICA
1	308	OCEANIA

Refusal(-1) 0
 Don't Know(-2) 0
 TOTAL =====> 810 VALID SKIP(-4) 0 NON-INTERVIEW(-5) 0

 ciscofnatmo
 Country of nationality

type: numeric (int)
 label: country

 range: [38,308] units: 1
 unique values: 26 missing .: 0/810

tabulation:	Freq.	Numeric	Label
	5	38	CANADA
	162	44	CHINA, PEOPLES REPUBLIC
	34	47	COLOMBIA
	2	55	CUBA
	24	62	DOMINICAN REPUBLIC
	8	65	EL SALVADOR
	3	69	ETHIOPIA
	54	88	GUATEMALA
	12	92	HAITI
	8	98	INDIA
	12	105	JAMAICA
	44	111	KOREA
	99	135	MEXICO
	9	152	NIGERIA
	8	163	PERU

25	164	PHILIPPINES
2	166	POLAND
99	172	RUSSIA
17	215	UKRAINE
3	217	UNITED KINGDOM
1	219	UNKNOWN
11	224	VIETNAM
41	301	EUROPE & CENTRAL ASIA
39	302	EAST ASIA, SOUTH ASIA & THE PACIFIC
47	305	LATIN AMERICA & THE CARIBBEAN
21	306	AFRICAN SUB-SAHARAN
19	307	MIDDLE EAST & NORTH AFRICA
1	308	OCEANIA

Refusal(-1)	0				
Don't Know(-2)	0				
TOTAL =====>	810	VALID SKIP(-4)	0	NON-INTERVIEW(-5)	0

niswgtsamp1
Sampling weight

type: numeric (float)

range:	[.40081793,2.2926381]	units:	1.000e-08
unique values:	16	missing .:	0/810

tabulation:	Freq.	Value
	58	.40081793
	30	.40088567
	62	.47498703
	67	.47724485
	28	.57269382
	56	.58522469
	64	.67768204
	51	.8316083
	60	.93188334
	29	1.0650096
	26	1.1303167
	47	1.3096434
	65	1.4066728
	56	1.4777939
	57	1.5621232
	54	2.2926381

Refusal(-1)	0				
Don't Know(-2)	0				
TOTAL =====>	810	VALID SKIP(-4)	0	NON-INTERVIEW(-5)	0
