

**New Immigrant Survey
Spouse Codebook¹
Section I – Transfers
Callback Data**

 pu_id respondent id

type: string (str6)

unique values: 1320

missing " ": 0/1320

 samptype Sample type of main respondent

type: string (str5)

unique values: 2

missing " ": 0/1320

tabulation:	Freq.	Value
	1181	"Adult"
	139	"Child"

 result result of callback effort

type: string (str21)

unique values: 7

missing " ": 0/1320

tabulation:	Freq.	Value
	693	"complete"
	34	"field period ended"
	183	"locating"
	4	"locating & max calls"
	234	"max calls"
	37	"refused"
	135	"unknown, not complete"

warning: variable has embedded blanks

¹ Several questions collect information about amounts in different units, periods of time, currencies, etc. Descriptive statistics for these variables won't provide a good description of the data and further calculations will be needed.

i70 give to or receive from siblings

type: numeric (byte)
label: give_receive
range: [-2,4] units: 1
unique values: 6 missing .: 630/1320

tabulation:	Freq.	Numeric	Label
	1	-2	don't know
	5	-1	refused
	1	0	invalid option
	45	1	give
	23	2	receive
	615	4	neither
	630	.	

i71 how much give to siblings IN United States

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 1320/1320

tabulation:	Freq.	Value
	1320	.

i71a amount for i71

type: string (str7)
unique values: 20 missing "": 1253/1320

tabulation:	Freq.	Value
	1253	" "
	5	"-1"
	6	"-2"
	31	"0"
	5	"100"
	1	"1000"
	1	"13000"
	1	"150"
	2	"200"
	3	"2000"
	1	"25"
	1	"250"
	1	"300"
	1	"3500"
	1	"40-50"
	1	"4000"
	1	"50"

2 "500"
1 "5000"
1 "6000"
1 "900"

i71bnu currency of i71a-num

type: numeric (byte)
label: currency

unique values: 1 missing .: 1293/1320

tabulation: Freq. Value
27 65
1293 .

i71d period for i71

type: numeric (byte)
label: period

range: [3,97] units: 1
unique values: 4 missing .: 1293/1320

tabulation: Freq. Numeric Label
9 3 per month
2 4 per year
13 5 one time only
3 97 other
1293 .

i71d_specify period for i71, other

type: string (str24)

unique values: 6 missing " ": 1314/1320

tabulation: Freq. Value
1314 ""
1 "-2"
1 "1"
1 "7"
1 "every 3 months"
1 "presents (birthday, etc)"
1 "several times"

warning: variable has embedded blanks

i71f what fraction to be repaid i71

type: numeric (byte)
label: fract_repay
range: [-2,7] units: 1
unique values: 4 missing .: 1293/1320

tabulation:	Freq.	Numeric	Label
	1	-2	don't know
	20	1	none
	1	4	one-half
	5	7	all
	1293	.	

i71f_perc what fraction to be repaid i71, percent

type: numeric (byte)
range: [100,100] units: 1
unique values: 1 missing .: 1318/1320

tabulation:	Freq.	Value
	2	100
	1318	.

i71f_amt what fraction to be repaid i71, specific amount

type: string (str17)
unique values: 2 missing "": 1318/1320

tabulation:	Freq.	Value
	1318	" "
	1	"5000"
	1	"not sure how much"

warning: variable has embedded blanks

i71f_currnu what fraction to be repaid i71, currency of specific amount-num

type: numeric (byte)
label: currency
unique values: 1 missing .: 1316/1320

tabulation:	Freq.	Value
	4	65
	1316	.

i71g when expect repayment of i71 to begin

type: string (str6)
unique values: 4 missing "": 1312/1320
tabulation: Freq. Value
1312 ""
4 "-2"
2 "2004"
1 "2005"
1 "2years"

i71h fraction of i71 repaid already

type: numeric (byte)
label: fract_repay
range: [-2,1] units: 1
unique values: 2 missing .: 1312/1320
tabulation: Freq. Numeric Label
2 -2 don't know
6 1 none
1312 .

i71h_perc fraction of i71 repaid already, percent

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 1320/1320
tabulation: Freq. Value
1320 .

i71h_amt fraction of i71 repaid already, specific amount

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 1320/1320
tabulation: Freq. Value
1320 .

i71h_currnu fraction of i71 repaid already, currency specific amount-num

 type: numeric (byte)
 label: currency

 range: [.,.] units: .
unique values: 0 missing .: 1320/1320

 tabulation: Freq. Value
 1320 .

i71i when expect full amount of i71 repaid

 type: numeric (int)

 range: [-2,2005] units: 1
unique values: 3 missing .: 1314/1320

 tabulation: Freq. Value
 4 -2
 1 2004
 1 2005
 1314 .

i71j expect receive interest for i71

 type: numeric (byte)
 label: yes_no

 range: [-2,2] units: 1
unique values: 2 missing .: 1304/1320

 tabulation: Freq. Numeric Label
 1 -2 don't know
 15 2 no
 1304 .

i71k rate of interest for i71

 type: numeric (byte)

 range: [-2,0] units: 1
unique values: 2 missing .: 1317/1320

 tabulation: Freq. Value
 2 -2
 1 0
 1317 .

i72d period for i71

type: numeric (byte)
label: period
range: [3,97] units: 1
unique values: 4 missing .: 1302/1320

tabulation:	Freq.	Numeric	Label
	5	3	per month
	3	4	per year
	5	5	one time only
	5	97	other
	1302	.	

i72d_specify period for i71, other

type: string (str16)
unique values: 6 missing "": 1314/1320

tabulation:	Freq.	Value
	1314	" "
	1	"-2"
	1	"1"
	1	"100/month"
	1	"200 per month"
	1	"3 times per year"
	1	"couple timed"

warning: variable has embedded blanks

i72f what fraction to be repaid i71

type: numeric (byte)
label: fract_repay
range: [1,7] units: 1
unique values: 2 missing .: 1299/1320

tabulation:	Freq.	Numeric	Label
	20	1	none
	1	7	all
	1299	.	

i72h fraction of i71 repaid already

type: numeric (byte)
label: fract_repay

range: [-2,-2] units: 1
unique values: 1 missing .: 1319/1320

tabulation: Freq. Numeric Label
1 -2 don't know
1319 .

i72h_perc fraction of i71 repaid already, percent

type: numeric (byte)

range: [.,.] units: .
unique values: 0 missing .: 1320/1320

tabulation: Freq. Value
1320 .

i72h_amt fraction of i71 repaid already, specific amount

type: numeric (byte)

range: [.,.] units: .
unique values: 0 missing .: 1320/1320

tabulation: Freq. Value
1320 .

i72h_currnu fraction of i71 repaid already, currency specific amount-num

type: numeric (byte)
label: currency

range: [.,.] units: .
unique values: 0 missing .: 1320/1320

tabulation: Freq. Value
1320 .

i72i when expect full amount of i71 repaid

type: numeric (int)
range: [-2,2004] units: 1
unique values: 2 missing .: 1318/1320
tabulation: Freq. Value
1 -2
1 2004
1318 .

i72j expect receive interest for i71

type: numeric (byte)
label: yes_no
range: [2,2] units: 1
unique values: 1 missing .: 1303/1320
tabulation: Freq. Numeric Label
17 2 no
1303 .

i72k rate of interest for i71

type: numeric (byte)
range: [0,0] units: 1
unique values: 1 missing .: 1318/1320
tabulation: Freq. Value
2 0
1318 .

i73 how much receive from siblings IN United States

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 1320/1320
tabulation: Freq. Value
1320 .

i73a amount for i73

type: numeric (int)
range: [-1,3000] units: 1
unique values: 8 missing .: 1265/1320

tabulation: Freq. Value
3 -1
44 0
1 100
1 300
1 500
2 1000
2 2000
1 3000
1265 .

i73bnu currency of i73a-num

type: numeric (byte)
label: currency
unique values: 1 missing .: 1311/1320

tabulation: Freq. Value
9 65
1311 .

i73d period for i73

type: numeric (byte)
label: period
range: [3,97] units: 1
unique values: 4 missing .: 1311/1320

tabulation: Freq. Numeric Label
1 3 per month
1 4 per year
5 5 one time only
2 97 other
1311 .

i73d_specify period for i73, other

type: string (str24)
unique values: 2 missing "": 1318/1320
tabulation: Freq. Value
1318 ""
1 "2 times from R's brother"
1 "as needed"

i73f what fraction to be repaid i73

type: numeric (byte)
label: fract_repay
range: [1,7] units: 1
unique values: 2 missing .: 1312/1320
tabulation: Freq. Numeric Label
4 1 none
4 7 all
1312 .

i73f_perc what fraction to be repaid i73, percent

type: numeric (byte)
range: [1,1] units: 1
unique values: 1 missing .: 1319/1320
tabulation: Freq. Value
1 1
1319 .

i73f_amt what fraction to be repaid i73, specific amount

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 1320/1320
tabulation: Freq. Value
1320 .

i73k rate of interest for i73

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 1320/1320
tabulation: Freq. Value
1320 .

i74 how much receive from siblings OUTSIDE United States

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 1320/1320
tabulation: Freq. Value
1320 .

i74anu amount for i74-modif

type: numeric (byte)
label: currency
unique values: 8 missing .: 1258/1320
tabulation: Freq. Value
3 -1
4 -2
49 0
1 225
1 400
2 500
1 1600
1 3000
1258 .

i74bnu currency of i74a-num

type: numeric (byte)
label: currency
unique values: 2 missing .: 1310/1320
tabulation: Freq. Value
2 -2
8 65
1310 .

i74d period for i74

type: numeric (byte)
label: period

range: [3,97] units: 1
unique values: 3 missing .: 1311/1320

tabulation:	Freq.	Numeric	Label
	3	3	per month
	4	5	one time only
	2	97	other
	1311	.	

i74d_specify period for i74, other

type: string (str21)

unique values: 2 missing "": 1318/1320

tabulation:	Freq.	Value
	1318	" "
	1	"not able to specify"
	1	"total"

warning: variable has embedded blanks

i74f what fraction to be repaid i74

type: numeric (byte)
label: fract_repay

range: [-2,7] units: 1
unique values: 3 missing .: 1312/1320

tabulation:	Freq.	Numeric	Label
	1	-2	don't know
	6	1	none
	1	7	all
	1312	.	

i74f_perc what fraction to be repaid i74, percent

type: numeric (byte)

range: [.,.] units: .
unique values: 0 missing .: 1320/1320

tabulation:	Freq.	Value
	1320	.

i74j pay interest for i74

type: numeric (byte)
label: yes_no
range: [2,2] units: 1
unique values: 1 missing .: 1312/1320
tabulation: Freq. Numeric Label
8 2 no
1312 .

i74k rate of interest for i74

type: numeric (byte)
range: [0,0] units: 1
unique values: 1 missing .: 1318/1320
tabulation: Freq. Value
2 0
1318 .

i75 give to or receive from spouse's siblings

type: numeric (byte)
label: give_receive
range: [-2,4] units: 1
unique values: 7 missing .: 632/1320
tabulation: Freq. Numeric Label
8 -2 don't know
6 -1 refused
2 0 invalid option
37 1 give
11 2 receive
2 3 both
622 4 neither
632 .

i76 how much give to spouse's siblings IN United States

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 1320/1320
tabulation: Freq. Value
1320 .

i76a amount for i76

type: numeric (int)
range: [-2,4000] units: 1
unique values: 15 missing .: 1273/1320

tabulation: Freq. Value
5 -2
27 0
1 50
1 100
1 150
2 200
1 300
1 400
1 900
1 1000
1 1500
2 2000
1 2500
1 3000
1 4000
1273 .

i76bnu currency of i76a-num

type: numeric (byte)
label: currency
unique values: 2 missing .: 1304/1320

tabulation: Freq. Value
1 -2
15 65
1304 .

i76d period for i76

type: numeric (byte)
label: period
range: [3,97] units: 1
unique values: 4 missing .: 1302/1320

tabulation: Freq. Numeric Label
3 3 per month
1 4 per year
8 5 one time only
6 97 other
1302 .

i76d_specify period for i76, other

type: string (str31)
unique values: 6 missing "": 1314/1320

tabulation: Freq. Value
1314 ""
1 "3 different occasions"
1 "every few months"
1 "occasionally"
1 "once in a while, not regular"
1 "several times"
1 "varied payments/money available"

warning: variable has embedded blanks

i76f what fraction to be repaid i76

type: numeric (byte)
label: fract_repay, but 1 nonmissing value is not labeled
range: [1,21] units: 1
unique values: 4 missing .: 1301/1320

tabulation: Freq. Numeric Label
16 1 none
1 4 one-half
1 7 all
1 21
1301 .

i76f_perc what fraction to be repaid i76, percent

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 1320/1320

tabulation: Freq. Value
1320 .

i76j expect receive interest for i76

type: numeric (byte)
label: yes_no
range: [1,2] units: 1
unique values: 2 missing .: 1315/1320
tabulation: Freq. Numeric Label
 1 1 yes
 4 2 no
 1315 .

i76k rate of interest for i76

type: string (str12)
unique values: 1 missing "": 1319/1320
tabulation: Freq. Value
 1319 ""
 1 "prime + 1/2%"
warning: variable has embedded blanks

i77 how much give to spouse's siblings OUTSIDE United States

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 1320/1320
tabulation: Freq. Value
 1320 .

i77a amount for i77

type: numeric (int)
range: [-2,4000] units: 1
unique values: 12 missing .: 1281/1320
tabulation: Freq. Value
 5 -2
 1 -1
 15 0
 1 75
 3 100
 2 200

1 300
1 400
4 500
3 1000
1 3500
2 4000
1281 .

i77bnu currency of i77-num

type: numeric (byte)
label: currency

unique values: 2 missing .: 1300/1320

tabulation: Freq. Value
1 -2
19 65
1300 .

i77d period for i77

type: numeric (byte)
label: period

range: [3,97] units: 1
unique values: 4 missing .: 1299/1320

tabulation: Freq. Numeric Label
4 3 per month
4 4 per year
8 5 one time only
5 97 other
1299 .

i77d_specify period for i77, other

type: string (str21)

unique values: 7 missing "": 1313/1320

tabulation: Freq. Value
1313 ""
1 "(4 x 100)"
1 "3 times"
1 "50"
1 "every 3 months"
1 "every 3-4 months"
1 "once every 3 months"
1 "when we can afford it"

warning: variable has embedded blanks

i77f what fraction to be repaid i77

type: numeric (byte)
label: fract_repay

range: [1,1] units: 1
unique values: 1 missing .: 1299/1320

tabulation: Freq. Numeric Label
 21 1 none
 1299 .

i77f_perc what fraction to be repaid i77, percent

type: numeric (byte)

range: [1,1] units: 1
unique values: 1 missing .: 1319/1320

tabulation: Freq. Value
 1 1
 1319 .

i77f_amt what fraction to be repaid i77, specific amount

type: numeric (byte)

range: [.,.] units: .
unique values: 0 missing .: 1320/1320

tabulation: Freq. Value
 1320 .

i77f_currnu what fraction to be repaid i77, currency of specific amount-num

type: numeric (byte)
label: currency

range: [.,.] units: .
unique values: 0 missing .: 1320/1320

tabulation: Freq. Value
 1320 .

i77g when expect repayment of i77 to begin

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 1321/1320
tabulation: Freq. Value
1321 .

i77h fraction of i77 repaid already

type: numeric (byte)
label: fract_repay
range: [1,1] units: 1
unique values: 1 missing .: 1319/1320
tabulation: Freq. Numeric Label
1 1 none
1319 .

i77h_perc fraction of i77 repaid already, percent

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 1320/1320
tabulation: Freq. Value
1320 .

i77h_amt fraction of i77 repaid already, specific amount

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 1320/1320
tabulation: Freq. Value
1320 .

i78d period for i78

type: numeric (byte)
label: period
range: [3,97] units: 1
unique values: 3 missing .: 1311/1320

tabulation:	Freq.	Numeric	Label
	2	3	per month
	5	5	one time only
	2	97	other
	1311	.	

i78d_specify period for i78, other

type: string (str19)
unique values: 3 missing "": 1317/1320

tabulation:	Freq.	Value
	1317	" "
	1	"1"
	1	"2 times over 1 year"
	1	"seasonal gifts"

warning: variable has embedded blanks

i78f what fraction to be repaid i78

type: numeric (byte)
label: fract_repay, but 1 nonmissing value is not labeled
range: [1,29] units: 1
unique values: 3 missing .: 1311/1320

tabulation:	Freq.	Numeric	Label
	5	1	none
	3	7	all
	1	29	
	1311	.	

i78h fraction of i78 repaid already

type: numeric (byte)
label: fract_repay, but 1 nonmissing value is not labeled

range: [1,31] units: 1
unique values: 2 missing .: 1316/1320

tabulation:	Freq.	Numeric	Label
	3	1	none
	1	31	
	1316	.	

i78h_perc fraction of i78 repaid already, percent

type: numeric (byte)

range: [.,.] units: .
unique values: 0 missing .: 1320/1320

tabulation:	Freq.	Value
	1320	.

i78h_amt fraction of i78 repaid already, specific amount

type: string (str2)

unique values: 1 missing "": 1319/1320

tabulation:	Freq.	Value
	1319	" "
	1	"-2"

i78h_currnu fraction of i78 repaid already, currency specific amount-num

type: numeric (byte)
label: currency

range: [.,.] units: .
unique values: 0 missing .: 1320/1320

tabulation:	Freq.	Value
	1320	.

i78i when expect to repay full amount of i78

type: numeric (byte)
range: [-2,-1] units: 1
unique values: 2 missing .: 1315/1320
tabulation: Freq. Value
4 -2
1 -1
1315 .

i78j pay interest for i78

type: numeric (byte)
label: yes_no
range: [2,2] units: 1
unique values: 1 missing .: 1311/1320
tabulation: Freq. Numeric Label
9 2 no
1311 .

i78k rate of interest for i78

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 1320/1320
tabulation: Freq. Value
1320 .

i79 how much receive from spouse's siblings OUTSIDE United States

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 1320/1320
tabulation: Freq. Value
1320 .

i79a amount for i79

type: numeric (int)
range: [-2,450] units: 1
unique values: 5 missing .: 1279/1320

tabulation: Freq. Value
2 -2
1 -1
36 0
1 100
1 450
1279 .

i79bnu currency of i79a-num

type: numeric (byte)
label: currency
unique values: 2 missing .: 1317/1320

tabulation: Freq. Value
1 -2
2 65
1317 .

i79d period for i79

type: numeric (byte)
label: period
range: [97,97] units: 1
unique values: 1 missing .: 1318/1320

tabulation: Freq. Numeric Label
2 97 other
1318 .

i79d_specify period for i79, other

type: string (str15)
unique values: 3 missing "": 1317/1320

tabulation: Freq. Value
1317 ""
1 "1"

1 "once in a while"
1 "total"

warning: variable has embedded blanks

i79f what fraction to be repaid i79

type: numeric (byte)
label: fract_repay

range: [1,1] units: 1
unique values: 1 missing .: 1319/1320

tabulation:	Freq.	Numeric	Label
	1	1	none
	1319	.	

i79f_perc what fraction to be repaid i79, percent

type: numeric (byte)

range: [.,.] units: .
unique values: 0 missing .: 1320/1320

tabulation:	Freq.	Value
	1320	.

i79f_amt what fraction to be repaid i79, specific amount

type: numeric (byte)

range: [.,.] units: .
unique values: 0 missing .: 1320/1320

tabulation:	Freq.	Value
	1320	.

i79f_currnu what fraction to be repaid i79, currency of specific amount-num

type: numeric (byte)
label: currency

range: [.,.] units: .
unique values: 0 missing .: 1320/1320

tabulation:	Freq.	Value
	1320	.

i79g when repayment of i79 begin

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 1320/1320
tabulation: Freq. Value
1320 .

i79h fraction of i79 repaid already

type: numeric (byte)
label: fract_repay
range: [.,.] units: .
unique values: 0 missing .: 1320/1320
tabulation: Freq. Numeric Label
1320 .

i79h_perc fraction of i79 repaid already, percent

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 1320/1320
tabulation: Freq. Value
1320 .

i79h_amt fraction of i79 repaid already, specific amount

type: numeric (byte)
range: [.,.] units: .
unique values: 0 missing .: 1320/1320
tabulation: Freq. Value
1320 .

i80 give to or receive from any relatives

type: numeric (byte)
label: yes_no
range: [-2,2] units: 1
unique values: 5 missing .: 644/1320

tabulation:	Freq.	Numeric	Label
	5	-2	don't know
	9	-1	refused
	25	0	invalid option
	83	1	yes
	554	2	no
	644	.	

i81 how much in dollars given to relatives IN United States

type: numeric (int)
range: [-2,20000] units: 1
unique values: 16 missing .: 1231/1320

tabulation:	Freq.	Value
	10	-2
	2	-1
	55	0
	1	20
	2	50
	2	100
	2	200
	1	300
	3	500
	1	800
	3	1000
	1	1300
	3	2000
	1	3000
	1	10000
	1	20000
	1231	.


```

1 300
2 500
1 600
1 700
1 1000
1 1200
1 1500
1 2000
1 2500
2 3000
1 4000
1 4500
1 10000
1 15000
1232 .

```

i84 how much in dollars received from relatives OUTSIDE United States

type: numeric (int)

range: [-2,4500] units: 1
unique values: 10 missing .: 1232/1320

tabulation: Freq. Value

3	-2
2	-1
76	0
1	50
1	200
1	400
1	500
1	1200
1	2000
1	4500
1232	.

niswgtsamp1
Sampling weight

type: numeric (float)

range: [.23602062,2.5823875] units: 1.000e-08
unique values: 48 missing .: 0/1320

tabulation: Freq. Value

12	0.23602062
21	0.24143620
10	0.27566460
10	0.32041535
5	0.32550880
11	0.32864949
11	0.35605043
22	0.35652420

	15	0.37241024			
	24	0.38723035			
	17	0.39542306			
	14	0.40081794			
	5	0.40088567			
	12	0.44192622			
	17	0.45099287			
	7	0.46146971			
	15	0.47498704			
	9	0.47724485			
	17	0.49351124			
	15	0.54470610			
	10	0.57269382			
	11	0.58522467			
	7	0.67768204			
	82	0.69191042			
	62	0.81567534			
	8	0.83160832			
	9	0.93188336			
	33	0.93785933			
	69	0.95846973			
	98	1.02464741			
	56	1.05436017			
	4	1.06500955			
	62	1.11227361			
	3	1.13031674			
	61	1.16404894			
	6	1.30964340			
	12	1.40667284			
	71	1.41268990			
	9	1.47779389			
	7	1.56212314			
	36	1.82976978			
	26	1.86117080			
	57	1.99846583			
	54	2.16400537			
	58	2.25423319			
	10	2.29263796			
	64	2.32384169			
	66	2.58238754			
Refusal (-1)	0				
Don't Know (-2)	0				
TOTAL =====>	1320	VALID SKIP (-4)	0	NON-INTERVIEW (-5)	0